

To: Vaughn, Stephanie[Vaughn.Stephanie@epa.gov]
From: Robert Law
Sent: Tue 9/10/2013 6:20:30 PM
Subject: RE: LRC SSP 2 QAPP Addendum - Redline/Strike out Version

Sep 23. The CPG is ok with the current scope - I know you are but please try to control the PAs and their desire to add locations or delete CPG's. Any significant changes are likely to reopen the discussion of locations and numbers.

Any word from CDR Kassoff - I can tell you from personal experience that we Commanders are very busy people.... ;-).

>>> "Vaughn, Stephanie" <Vaughn.Stephanie@epa.gov> 9/10/2013 2:01 PM >>>

Thanks, Rob - when did you want to start the program? I think you told me a specific date the other day.

From: Robert Law [mailto:rlaw@demaximis.com]
Sent: Tuesday, September 10, 2013 1:44 PM
To: Sharon Budney; kirchnersf@cdm.com; Vaughn, Stephanie
Cc: Doug Simmons; Willard Potter; Marcia Greenblatt; Mike Barbara
Subject: LRC SSP 2 QAPP Addendum - Redline/Strike out Version
Importance: High

Stephanie:

Here is the document, without appendices (because of their size). AECOM will now start loading the complete document, with appendices, onto the LPR SharePoint Site.

The field (Appendix A) and laboratory (Appendix B) SOPs have been updated (annual updates) so we will be loading them onto the LPR SharePoint Site. AECOM are breaking these into loadable sizes, so it will take us a little while to load them.

Please contact us with any questions.

R/

Rob

Robert Law, Ph.D.
de maximis, inc.
rlaw@demaximis.com
Voice: 908-735-9315
Fax: 908-735-2132